

# **SAFETY DATA SHEET**

Issuing Date 13-Aug-2015 Revision Date: 13-Aug-2015 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name REGAL SELECT WATERBORNE INTERIOR EGGSHEEL FINISH

- BASE 1

Product Code 5491X

Product List5491X B1A;5491X B1S1Product ClassWATER THINNED PAINT

Color All Recommended use Paint

**Restrictions on use**No information available

Manufacturer Only Representative (OR)

Benjamin Moore & Co. ITS Testing Services (UK) Ltd. 101 Paragon Drive Bainbridge House Montvale, NJ 07645 86-90 London Road

Phone: 855-724-6802 Manchester www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# Section 2: HAZARDS IDENTIFICATION

#### 2.1.

REGULATION (EC) No 1272/2008

Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2.

#### **Product Identifier**

Contains 2-Methyl-4-isothiazolin-3-one



Revision Date: 13-Aug-2015

#### **Hazard statements**

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

## Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P273 - Avoid release to the environment

2.3.

General Hazards No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	25		Not available
Kaolin	310-194-1	1332-58-7	5		Not available
Silica, amorphous	231-545-4	7631-86-9	5		Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available
Chromium (VI)	-	18540-29-9	0.001	Carc. 1B (H350i) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

4.1.

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

Revision Date: 13-Aug-2015

<u>4.2.</u>

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2.

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No.

Sensitivity To Mechanical Impact No.

<u>5.3.</u>

**Protective Equipment And Precautions For** 

Firefighters

Wear self-contained breathing apparatus and protective

suit.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

<u>6.4.</u>

Other information See Section 12 for additional information.

## Section 7: HANDLING AND STORAGE

7.1.

**Handling** Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 13-Aug-2015

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

Storage Keep container tightly closed. Keep out of the reach of

children.

<u>7.3.</u>

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

#### **Exposure limits**

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide 13463-67-7		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Kaolin		STEL: 12 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3.0 mg/m <sup>3</sup>		
1332-58-7		STEL: 6 mg/m <sup>3</sup>	TWA. 2 mg/m	TWA: 6.0 mg/m <sup>3</sup>		
Silica, amorphous 7631-86-9		TWA: 2.4 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup> STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup>				

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7 ( 22.2547 )	TWA: 4 mg/m <sup>3</sup>			STEL: 30 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	
Kaolin 1332-58-7 ( 1.2807 )	TWA: 2 mg/m <sup>3</sup>			NDS: 10.0 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	VLA-ED: 2 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9 ( 1.09366 )	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>				

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 13-Aug-2015

thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Remarks/ Method **Property** Values 1354 - 1402 Density (g/L) None known 1.35 - 1.41 **Relative Density** None known Ha No information available None known Viscosity (cps) No information available None known Solubility No information available None known **Water Solubility** No information available None known **Evaporation Rate** No information available None known **Vapor Pressure** No information available None known **Vapor Density** No information available None known Wt. % Solids 55 - 65 None known Vol. % Solids 35 - 45None known Wt. % Volatiles 35 - 45 None known 55 - 65 Vol. % Volatiles None known VOC Regulatory Limit (g/L) n None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known **Melting Point (°C)** No information available None known Flash Point (°C) Not applicable None known No information available Flammability (solid, gas) None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known

5491X - REGAL SELECT WATERBORNE INTERIOR

**EGGSHEEL FINISH - BASE 1** 

Revision Date: 13-Aug-2015

Partition Coefficient (n-octanol/water)No information availableNone knownExplosive propertiesNo information availableNone knownOxidizing PropertiesNo information availableNone known

# **Section 10: STABILITY AND REACTIVITY**

10.1.

Reactivity Not Applicable.

10.2.

Chemical Stability Stable under normal conditions.

<u>10.3.</u>

Possibility Of Hazardous Reactions None under normal conditions of use.

10.4.

Conditions To Avoid Prevent from freezing.

<u>10.5.</u>

**Incompatible Materials**No materials to be especially mentioned.

<u>10.6.</u>

Hazardous Decomposition Products

None under normal use.

## Section 11: TOXICOLOGICAL INFORMATION

11.1.

#### **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact** Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

#### Component

	Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
	Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Ī	Silica, amorphous 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L (Rat)1 h

Revision Date: 13-Aug-2015

**Skin corrosion/irritation**No information available.

Eye damage/irritation No information available.

Sensitization: May cause sensitization by skin contact.

Mutagenic Effects No information available.

#### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen

<sup>•</sup> Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

**Developmental Effects**No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Neurological Effects No information available.

Target Organ Effects Skin.

**Symptoms** No information available.

Aspiration Hazard No information available.

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio	EC50 = 7600 mg/L (48 h)
7631-86-9		rerio (96 h)	
Chromium (VI)		LC50 = 36.2 mg/L Pimephales	
18540-29-9		promelas (96 h) LC50 = 7.6 mg/L	
		Oncorhynchus mykiss (96 h)	

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation No information available.

<u>12.4.</u>

Mobility in soil No information available.

Mobility in Environmental Media No information available.

<u>12.5.</u>

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available

# Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 13-Aug-2015

## Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Revision Date: 13-Aug-2015

Chemical Name	French RG number
Silica, amorphous 7631-86-9	RG 25

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **International Inventories**

AICS: Australia

DSL: Canada

Ves - All components are listed or exempt.

EINECS: European Union

ENCS: Japan

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

ENCS: Japan

No - Not all of the components are listed.

No - Not all of the components are listed.

KECL: South Korea

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

Yes - All components are listed or exempt.

#### Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

## 15<u>.2.</u>

### **Chemical Safety Report**

No information available

## **Section 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802

Revision Date: 13-Aug-2015

**Issuing Date** 13-Aug-2015

Revision Date: 13-Aug-2015

Revision Summary Change to Format

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**